




DRITARET E JASHTME TË REJA





DUKJA



Pos. W-18

Specifikimi Teknik, Dimensionet, Standardet e kerkuara

Dimensionet:	280 / 125 cm	Ngjyra :	Bardhe / RAL 9003
Sasia :	2 copë	Standardet :	DIN EN ISO 9001
Materiali :	PVC	Qelqi :	4(Katër Stinor)+16+4Low E
Korniza:	Gjerësia≥85mm	U-Value (dritare) :	$U_w \leq 1.2 \text{ W/m}^2\text{K}$
Izolimi akusk :	EN 14351, EN 717/ $R_w=42\text{dB}$		

Emri i Projektit:			Përpjesa	Nr. i vizatimit	Vula
Consulting Company for Development of detailed energy audit reports, Detailed Designs, Technical Specification			1:50	A.39	
Financuar nga:	Projekti kryesor	Arkitektura	Vizatuar nga:	Kontrolluar nga:	
 FKEE FOND I KOSOVES PER EFICIENCË TE ENERJESHE KOSOVO FOND ZA ENERGETSKU EFikasnost KOSOVO ENERGY EFFICIENCY FUND	Emri i objektit:	SHFMU "Shkëndija"	B.B	Xh.G.	
Projektuar nga:	Titulli i vizatimit	Skemat e dritareve W-18	Vendi:	Data :	
 ALB-Architect PROJEKTIM MENAXHIM I PROJEKTIT KONSULTIME TEKNIKE DESIGN PROJECT MANAGEMENT TECHNICAL CONSULTING			Suhareke	Shkurt 2024	
			Formati i fletës:	Nënshkrimi	
			A4		