




DRITARET E JASHTME TË REJA



Pos. W-22

Specifikimi Teknik, Dimensionet, Standardet e kerkuara

Dimensionet:	300 / 300 cm	Ngjyra :	Bardhe / RAL 9003
Sasia :	3 copë	Standardet :	DIN EN ISO 9001
Materiali :	PVC	Qelqi:4(Kater stinor) LowE+16+4+16(I Lameluar	
Korniza:	Gjerësia≥85mm	U-Value (dritare) : $U_w \leq 1.2 \text{ W/m}^2\text{K}$	
Izolimi akusik	: EN 14351, EN 717/ $R_w=42\text{dB}$		

Emri i Projektit:		Përpjesa	Nr. i vizatimit	Vula
Consulting Company for Development of detailed energy audit reports, Detailed Designs, Technical Specification		1:50	A.43	
Financuar nga:	Projekti kryesor	Arkitektura	Vizatuar nga:	Kontrolluar nga:
 FKEE FONDI I KOSOVES PER EFICIENCEN E ENERGIKES KOSOVSKI FOND ZA ENERGETSKU EFICIJENCIJST KOSOVO ENERGY EFFICIENCY FUND	Emri i objektit:	SHFMU "Shkëndija"	Vendi:	Data :
Projektuar nga:	Titulli i vizatimit	Skemat e dritareve W-22	Suhareke	Shkurt 2024
 ALB-Architect PROJEKTIM MENAXHIM I PROJEKTIT KONSULTIME TEKNIKE DESIGN PROJECT MANAGEMENT TECHNICAL CONSULTING			Formati i fletës:	Nënshkrimi
			A4	