


DRITARET E JASHTME TË REJA

DUKJA



<b>Pos. W-30</b>		Specifikimi Teknik, Dimensionet, Standardet e kerkuara	
Dimensionet:	80 / 290 cm	Ngjyra :	Bardhe / RAL 9003
Sasia :	2 copë	Standardet :	DIN EN ISO 9001
Materiali :	PVC	Qelqi :	4(Katër Stinor)+16+4Low E
Korniza:	Gjerësia≥85mm	U-Value (dritare) : $U_w \leq 1.2 \text{ W/m}^2\text{K}$	
Izolimi akustik :	EN 14351, EN 717/ $R_w=42\text{dB}$		

Emri i Projektit:		Përpjesa	Nr.i vizatimit	Vula
Consulting Company for Development of detailed energy audit reports, Detailed Designs, Technical Specification		1:50	A.53	
Financuar nga:	Projekti Kryesor	Arkitektura	Vizatuar nga:	Kontrolluar nga:
 <b>FKEE</b> <small>FONDI I KOSOVES PER EFICIENCEN E ENERGIKES KOSOVO ENERGY EFFICIENCY FUND</small>	Emri i objektit:	Shkolla Teknike" Skender Luarasi" Suhareke	Vendi:	Data :
Projektuar nga:	Titulli i vizatimit	Skemat e dritareve W-30	Formati i fletës:	Nënskrimi
 <b>ALB-ARCHITECT</b> <small>DESIGN CONSTRUCTION PROJECT MANAGEMENT TECHNICAL CONSULTING</small>			A4	Shkurt 2024
<small>Rruga "Isa Kastrioti" 76-1, Prishtinë   tel.045.018/220 973   albachitect@gmail.com   www.albachitect.com</small>				