


DRITARET E JASHTME TË REJA

DUKJA



Pos. W-01

Specifikimi Teknik, Dimensionet, Standardet e kerkuara

| | | | |
|-----------------|-------------------------------------|--|---------------------------|
| Dimensionet: | 330 / 200 cm | Ngjyra : | Bardhe / RAL 9003 |
| Sasia : | 1 copë | Standardet : | DIN EN ISO 9001 |
| Materiali : | PVC | Qelqi : | 4(Katër Stinor)+16+4Low E |
| Korniza: | Gjerësia≥85mm | U-Value (dritare) : $U_w \leq 1.2 \text{ W/m}^2\text{K}$ | |
| Izolimi akusk : | EN 14351, EN 717/ $R_w=42\text{dB}$ | | |

Emri i Projektit:

Consulting Company for Development of detailed energy audit reports, Detailed Designs, Technical Specification

Përpjesa

1:50

Nr. i vizatimit

A.22

Vula

Financuar nga:



Projektuar nga:



Projekti kryesor

Arkitektura

Vizatuar nga:

B.B

Kontrolluar nga:

Xh.G.

Emri i objektit:

SHFMU "Shkëndija"

Vendi:

Suhareke

Data :

Shkurt 2024

Titulli i vizatimit

Skemat e dritareve W-01

Formati i fletës:

A4

Nënshkrimi