




## DRITARET E JASHTME TË REJA



DUKJA



**Pos. W-02**

*Specifikimi Teknik, Dimensionet, Standardet e kerkuara*

Dimensionet: 290 / 60 cm

Ngjyra : Bardhe / RAL 9003

Sasia : 1 copë

Standardet : DIN EN ISO 9001

Materiali : PVC

Qelqi : 4(Katër Stinor)+16+4Low E

Korniza: Gjerësia≥85mm

U-Value (dritare) :  $U_w \leq 1.2 \text{ W/m}^2\text{K}$

Izolimi akusk : EN 14351, EN 717/  $R_w=42\text{dB}$

Emri i Projektit:

Consulting Company for Development of detailed energy audit reports, Detailed Designs, Technical Specification

Përpjesa

1:50

Nr. i vizatimit

A.23

Vula

Financuar nga:



**FKEE**  
FOND I KOSOVËS PËR EFICIENÇË TË ENERGJISË  
KOSOVO FUND FOR ENERGY EFFICIENCY  
KOSOVO ENERGY EFFICIENCY FUND

Projekti kryesor

Arkitektura

Vizatuar nga:

B.B

Kontrolluar nga:

Xh.G.

Projektuar nga:



Emri i objektit:

SHFMU "Shkëndija"

Vendi:

Suhareke

Data :

Shkurt 2024

Titulli i vizatimit

Skemat e dritareve W-02

Formati i fletës:

A4

Nënshkrimi