




DRITARET E JASHTME TË REJA



Pos. W-16

Specifikimi Teknik, Dimensionet, Standardet e kerkuara

| | | | |
|-------------------|-------------------------------------|---------------------|--------------------------------------|
| Dimensionet: | 340 / 160 cm | Ngjyra : | Bardhe / RAL 9003 |
| Sasia : | 1 copë | Standardet : | DIN EN ISO 9001 |
| Materiali : | PVC | Qelqi : | 4(Katër Stinor)+16+4Low E |
| Korniza: | Gjerësia≥85mm | U-Value (dritare) : | $U_w \leq 1.2 \text{ W/m}^2\text{K}$ |
| Izolimi akustik : | EN 14351, EN 717/ $R_w=42\text{dB}$ | | |

| | | | | | |
|---|---------------------|-------------------------|-------------------|------------------|------|
| Emri i Projektit: | | | Përpjesa | Nr. i vizatimit | Vula |
| Consulting Company for Development of detailed energy audit reports, Detailed Designs, Technical Specification | | | 1:50 | A.37 | |
| Financuar nga: | Projekti kryesor | Arkitektura | Vizatuar nga: | Kontrolluar nga: | |
|  FKEE FONDI I KOSOVES PËR EFICIENCËN E ENERGJISË KOSOVO ENERGY EFFICIENCY FUND | Emri i objektit: | SHFMU "Shkëndija" | B.B | Xh.G. | |
| Projektuar nga: | Titulli i vizatimit | Skemat e dritareve W-16 | Vendi: | Data : | |
|  ALB-Architect PROJEKTIM MENAXHIM I PROJEKTIT KONSULTIME TEKNIKE DESIGN PROJECT MANAGEMENT TECHNICAL CONSULTING | | | Suhareke | Shkurt 2024 | |
| | | | Formati i fletës: | Nënshkrimi | |
| | | | A4 | | |