




DRITARET E JASHTME TË REJA



Pos. W-11

Specifikimi Teknik, Dimensionet, Standardet e kerkuara

Dimensionet:	170 / 100 cm	Ngjyra :	Bardhe / RAL 9003
Sasia :	4 copë	Standardet :	DIN EN ISO 9001
Materiali :	PVC	Qelqi :	4(Katër Stinor)+16+4Low E
Korniza:	Gjerësia≥85mm	U-Value (dritare) : $U_w \leq 1.2 \text{ W/m}^2\text{K}$	
Izolimi akusk :	EN 14351, EN 717/ $R_w=42\text{dB}$		

Emri i Projektit: Consulting Company for Development of detailed energy audit reports, Detailed Designs, Technical Specification			Përpjesa 1:50	Nr.i vizatimit A.29	Vula	
Financuar nga: <div><div><b>FKEE</b> FOND I KOSOVES PER EFICIENCIE TE ENERGIJES KOSOVO FUND FOR ENERGY EFFICIENCY KOSOVO ENERGY EFFICIENCY FUND</div></div>	Projekti Kryesor		Arkitektura	Vizatuar nga: M.K.	Kontrolluar nga: Xh.G.	
	Emri i objektit:	SHFMU "Shefki Kuleta"		Vendi: Podujeve	Data : Shkurt 2024	
	Projektuar nga: <div><div>PROJEKTIM MENAXHIM I PROJEKTT KONSULTIME TEKNIKE</div><div><b>ALB-Architect</b> DESIGN PROJECT MANAGEMENT TECHNICAL CONSULTING</div><div><small>Rruga Ibra Kastrati Nr.9, Prishtine, Tel: +376 446 675 info@albarchitect.com, www.albarchitect.com</small></div></div>	Titulli i vizatimit		Skemat e dritareve W-11		Formati i fletës: A4