



DYERT E JASHTME TË REJA



Pos. D-04

Specifikimi Teknik, Dimensionet, Standardet e kerkuara

Dimensionet:	310 / 310 cm	Ngjyra :	Bardhe / RAL 9003
Sasia :	1 copë	Standardet :	DIN EN ISO 9001
Materiali :	Alumin	Qelqi :	4(Katër Stinor)+16+4Low E
Korniza:	Gjerësia≥85mm	U-Value (dritare) : $Uw \leq 1.2 \text{ W/m}^2\text{K}$	
Izolimi akustik :	EN 14351, EN 717/ $Rw=42\text{dB}$		

Emri i Projektit: Consulting Company for Development of detailed energy audit reports, Detailed Designs, Technical Specification			Përpjesa 1:50	Nr. i vizatimit A.35	Vula
Financuar nga:  FOND I KOSOVES PER EFICIENCIE TE ENERGIKES KOSOVO FOND ZA ENERGETSKU EFICIENOST KOSOVO ENERGY EFFICIENCY FUND	Projekti Kryesor Arkitektura		Vizatuar nga: M.K.	Kontrolluar nga: Xh.G.	
	Emri i objektit:	SHFMU "Shefki Kuleta"	Vendi: Podujeve	Data : Shkurt 2024	
	Titulli i vizatimit	Skemat e dyerve D-04	Formati i fletës: A4	Nënshkrimi	