





DRITARET E JASHTME TË REJA



Pos. W-06		<i>Specifikimi Teknik, Dimensionet, Standardet e kerkuara</i>	
Dimensionet:	160 / 220 cm	Ngjyra :	Bardhe / RAL 9003
Sasia :	2 copë	Standardet :	DIN EN ISO 9001
Materiali :	PVC	Qelqi :	4(Katër Stinor)+16+4Low E
Korniza:	Gjerësia≥85mm	U-Value _(dritare) : $U_w \leq 1.2 \text{ W/m}^2\text{K}$	
Izolimi akusk	: EN 14351, EN 717/ $R_w=42\text{dB}$		

Project name:/Emri i Projektit: Consulting Company for Development of detailed energy audit reports, Detailed Designs, Technical Specification			Përpjesa 1:50	Nr.i vizatimit A 25	Vula
Financuar nga: <div><div>FKEE FONDI I KOSOVES PER EFICIENCË TE ENERJESHE KOSOVSKI FOND ZA ENERGETSKU EFikasnost KOSOVO ENERGY EFFICIENCY FUND</div></div>	Projekti Kryesor Arkitektura		Vizatuar nga: L.M	Kontrolluar nga: Xh.G	
Projektuar nga: <div><div>PROJEKTIM MENAXHIMI I PROJEKTT KONSULTIME TEKNIKE</div><div><div>DESIGN PROJECT MANAGEMENT TECHNICAL CONSULTING</div><div>ALB-Architect <small>Prilaga lex kontakti me q. Prishtine, Tel: 038 480 493 info@albarchitect.com www.albarchitect.com</small></div></div></div>	Emri i objektit: SHFMU "Ali Ajeti"	Vendi: Podujeve	Data : Shkurt 2024		
	Titulli i vizatimit Skemat e dritareve W-08	Formati i fletës: A4	Nënshkrimi		