




DRITARET E JASHTME TË REJA



Pos. H	Specifikimi Teknik, Dimensionet, Standardet e kerkuara	
Dimensionet:	105 / 190 cm	Ngjyra : Bardhe / RAL 9003
Sasia :	16 copë	Standardet : DIN EN ISO 9001
Materiali :	PVC	Qelqi 4(Katër Stinor)+16+4Low E
Korniza:	Gjerësia≥85mm	U-Value (dritare) : $U_w \leq 1.2 \text{ W/m}^2\text{K}$
Izolimi akustik :	EN 14351, EN 717/ $R_w=42\text{dB}$	

Emri i Projektit: Consulting Company for Development of detailed energy audit reports, Detailed Designs, Technical Specification			Përpjesa 1:50	Nr.i vizatimit A.27	Vula
<div>Financuar nga:  FONDI I KOSOVES PER EFICIENCEN E ENERGJES KOSOVO FOND ZA ENERGETSKU EFISASNOST KOSOVO ENERGY EFFICIENCY FUND</div>	Projekti Kryesor	Arkitektura	Vizatuar nga: KK	Kontrolluar nga: Xh.G	
	Emri i objektit:	SHMP "Naim Frasheri"	Vendi: Shtime	Data : Shkurt 2024	
Projektuar nga:  PROJEKTIM MENAXHIM I PROJEKTIT KONSULTIME TEKNIKE DESIGN PROJECT MANAGEMENT TECHNICAL CONSULTING ALB-Architect Rruga Ibrahim Veqaj, Prishtine, Tel: +383 65 550 1000, info@alb-architect.com, www.alb-architect.com	Titulli i vizatimit	Skemat e dritareve W-H	Formati i fletës: A4	Nënshkrimi	