




DRITARET E JASHTME TË REJA



Pos. N	Specifikimi Teknik, Dimensionet, Standardet e kerkuara	
Dimensionet:	195 / 125 cm	Ngjyra : Bardhe / RAL 9003
Sasia :	2 copë	Standardet : DIN EN ISO 9001
Materiali :	PVC	Qelqi :4(Katër Stinor)+16+4Low E
Korniza:	Gjerësia≥85mm	U-Value (dritare) : $U_w \leq 1.2 \text{ W/m}^2\text{K}$
Izolimi akustik :	EN 14351, EN 717/ $R_w=42\text{dB}$	

Emri i Projektit: Consulting Company for Development of detailed energy audit reports, Detailed Designs, Technical Specification			Përpjesa 1:50	Nr.i vizatimit A.34	Vula
Financuar nga:  FKEE <small>FONDI I KOSOVES PER EFICIENCEN E ENERGJESHE KOSOVOV FOND ZA ENERGETSKU EFRAJNOST KOSOVO ENERGY EFFICIENCY FUND</small>	Projekti Kryesor Arkitektura	Vizatuar nga: KK	Kontrolluar nga: Xh.G		
Projektuar nga:  ALB-Architect <small>PROJEKTIM MENAXHIM I PROJEKTIT KONSULTIME TEKNIKE DESIGN PROJECT MANAGEMENT TECHNICAL CONSULTING</small>	Emri i objektit: SHMP "Naim Frasheri"	Vendi: Shtime	Data : Shkurt 2024		
	Titulli i vizatimit Skemat e dritareve W-N	Formati i fletës: A4	Nënshkrimi		