




DRITARET E JASHTME TË REJA



Pos. X

Specifikimi Teknik, Dimensionet, Standardet e kerkuara

Dimensionet:	220 / 140 cm	Ngjyra :	Bardhe / RAL 9003
Sasia :	3 copë	Standardet :	DIN EN ISO 9001
Materiali :	PVC	Qelqi :	4(Katër Stinor)+16+4Low E
Korniza:	Gjerësia≥85mm	U-Value (dritare) : $U_w \leq 1.2 \text{ W/m}^2\text{K}$	
Izolimi akustik :	EN 14351, EN 717/ $R_w=42\text{dB}$		

Emri i Projektit:			Përpjesa	Nr. i vizatimit	Vula
Consulting Company for Development of detailed energy audit reports, Detailed Designs, Technical Specification			1:50	A.45	
Financuar nga:	Projekti Kryesor	Arkitektura	Vizatuar nga:	Kontrolluar nga:	
 FKEE <small>FONDI I KOSOVES PER EFICIENCEN E ENERGJESHE</small> <small>KOSOVSKI FOND ZA ENERGETSKU EFIRASNOST</small> <small>KOSOVO ENERGY EFFICIENCY FUND</small>	Emri i objektit:	SHMP "Naim Frasheri"	Vendi:	Data :	
Projektuar nga:	Titulli i vizatimit	Skemat e dritareve W-X	Shtime	Shkurt 2024	
 ALB-Architect <small>PROJEKTIM MENAXHIM I PROJEKTIT KONSULTIME TEKNIKE</small> <small>DESIGN PROJECT MANAGEMENT TECHNICAL CONSULTING</small> <small>Prilaz Rexhepi & Sh. Prilaz Rexhepi, Tel: +383 69 494 994, info@alb-architect.com, www.alb-architect.com</small>			Formati i fletës:	Nënshkrimi	
			A4		