


DYERT E JASHTME TË REJA

DUKJA



PLANI



Pos. 12'

Specifikimi Teknik, Dimensionet, Standardet e kerkuara

Dimensionet: 305/ 310 cm	Ngjyra : Bardhe/ RAL 9003
Sasia : 1 copë	Standardet : DIN EN ISO 9001
Materiali : Alumin	Qelqi 4(Katër Stinor)+16+4Low E
Korniza: Gjerësia≥85 mm	U-Value (dritare) : $U_w \leq 1.2 \text{ W/m}^2\text{K}$
Izolimi akustik : EN 14351, EN 717/ $R_w=42\text{dB}$	

Emri i Projektit: Consulting Company for Development of detailed energy audit reports, Detailed Designs, Technical Specification			Përpjesa 1:50	Nr.i vizatimit A.49	Vula
Financuar nga:  FKEE <small>FONDI I KOSOVES PER EFICIENCEN E ENERJESHE KOSOVO FUND FOR ENERGY EFFICIENCY KOSOVO ENERGY EFFICIENCY FUND</small>	Projekti Kryesor Arkitektura	Vizatuar nga: KK	Kontrolluar nga: Xh.G		
Projektuar nga:  ALB-Architect <small>PROJEKTIM MENAXHIM I PROJEKTIT KONSULTIME TEKNIKE DESIGN PROJECT MANAGEMENT TECHNICAL CONSULTING Rruga Ibrahim Veqri, Prishtine, Tel: +383 65 550 1000, info@alb-architect.com, www.alb-architect.com</small>	Emri i objektit: SHMP "Naim Frasheri"	Vendi: Shtime	Data : Shkurt 2024		
	Titulli i vizatimit Skemat e Dyerve - 12'	Formati i fletës: A4	Nënshkrimi		