




DRITARET E JASHTME TË REJA



Pos. J'	Specifikimi Teknik, Dimensionet, Standardet e kerkuara		
Dimensionet:	270 / 190 cm	Ngjyra :	Bardhe / RAL 9003
Sasia :	3 copë	Standardet :	DIN EN ISO 9001
Materiali :	PVC	Qelqi :	4(Katër Stinor)+16+4Low E
Korniza:	Gjerësia≥85mm	U-Value (dritare) :	Uw≤ 1.2 W/m²K
Izolimi akustik :	EN 14351, EN 717/ Rw=42dB		

Emri i Projektit:		Përpjesa	Nr. i vizatimit	Vula
Consulting Company for Development of detailed energy audit reports, Detailed Designs, Technical Specification		1:50	A.30	
Financuar nga:	Projekti Kryesor	Arkitektura	Vizatuar nga:	Kontrolluar nga:
 FKEE <small>FONDI I KOSOVES PER EFICIENCEN E ENERGIKES KOSOVSKI FOND ZA ENERGETSKU EFISASNOST KOSOVO ENERGY EFFICIENCY FUND</small>	Emri i objektit:	SHMP "Naim Frasheri"	Vendi:	Data :
Projektuar nga:	Titulli i vizatimit		Shkurt 2024	
 ALB-Architect <small>PROJEKTIM MENAXHIM I PROJEKTIT KONSULTIME TEKNIKE DESIGN PROJECT MANAGEMENT TECHNICAL CONSULTING</small>	Skemat e dritareve W-J'		Formati i fletës:	Nënshkrimi
		A4		