




DRITARET E JASHTME TË REJA



Pos. Q'	Specifikimi Teknik, Dimensionet, Standardet e kerkuara	
Dimensionet:	345 / 75 cm	Ngjyra : Bardhe / RAL 9003
Sasia :	1 copë	Standardet : DIN EN ISO 9001
Materiali :	PVC	Qelqi :4(Katër Stinor)+16+4Low E
Korniza:	Gjerësia≥85mm	U-Value (dritare) : $U_w \leq 1.2 \text{ W/m}^2\text{K}$
Izolimi akustik :	EN 14351, EN 717/ $R_w=42\text{dB}$	

Emri i Projektit: Consulting Company for Development of detailed energy audit reports, Detailed Designs, Technical Specification			Përpjesa 1:50	Nr.i vizatimit A.38	Vula
Financuar nga:  FONDI I KOSOVËS PËR EFICIENCË TË ENERGJISË KOSOVO FOND ZA ENERGETSKU EFISIENOST KOSOVO ENERGY EFFICIENCY FUND	Projekti Kryesor Arkitektura		Vizatuar nga: KK	Kontrolluar nga: Xh.G	
	Emri i objektit:	SHMP "Naim Frasheri"	Vendi: Shtime	Data : Shkurt 2024	
	Projektuar nga:  PROJEKTIM MENAXHIM I PROJEKTIT KONSULTIME TEKNIKE DESIGN PROJECT MANAGEMENT TECHNICAL CONSULTING ALB-Architect Bregu i Kallitit Nr. 3, Prishtinë, Tel: +383 65 550 000, info@alb-architect.com, www.alb-architect.com	Titulli i vizatimit Skemat e dritareve W-Q'		Formati i fletës: A4	Nënshkrimi